



服务彰显价值，诚信铸就辉煌

Services Highlights Value
Credibility Creates Glories



FEIYUN TOWN INDUSTRIAL AREA RUI'AN WENZHOU ZHEJIANG
浙江省瑞安市飞云镇工业区

Wenzhou Kxite Machinery Technology Co., Ltd.

TEL:0086-577-6688 3036

FAX:0086-577-6688 1715

Mobile Phone:0086-136 2587 3008

EMAIL:ALISA@KXITE.COM

The Company reserves the right to modify the technical parameters of the machine, without notice
本公司有权保留对机器技术参数的修改，不另通知

Wenzhou Kxite Machinery Technology Co., Ltd.

温州科信特机械科技有限公司

2018 Company Profile

Wenzhou Kxite Machinery Co., Ltd. is a professional manufacturer which combines with research, manufacturing, sale and service. We specialized in the Cola Cup Lid Forming Machine, Coffee Cup Lid Making Machine, Plastic Plate Making Machine, Plastic Bowl Cover Making Machine and Mini Plastic Medical Tray Making Machine. We are always insisted the purpose that "Making high quality is our duty, Developing with customer is our goal, Keeping customer satisfied is our goal" to welcome the customer from the domestic and overseas.

Facing the information revolution in the new century, we emphasize the development and introduce new products into the market every year. Our products sell well in domestic and international markets, such as The Middle East, and are favorably appraised by clients. We pursue the management tenet of "Quality is superior, Service is supreme, Reputation is first, and will sincerely create and share success with all clients."

We welcome you to contact us for more information and visit our company. Hope that we can be your final choice and seek cooperation for mutual benefits.

温州市科信特机械有限公司是一家快速发展中集科研、制造、销售、服务于一体的专业制造公司；专利产品：杯盖成型机、咖啡杯盖机、可乐杯盖机、奶茶杯盖机、小型托盘机。我们一直坚持以“产品质量是我们应尽的责任，与客户共发展是我们的目标，顾客满意是我们永远的追求”的宗旨热忱为国内外广大新老客户服务。

面对新世纪的信息产业革命，我们强调发展。每年都会定期向市场推出新产品。我们的产品畅销于国内外市场，如中东地区，并得到了广大客户的一致好评。我们坚持“品质优先，服务至善，信誉第一”的营销原则。我们诚挚的希望同所有的客户一起创造胜利并分享我们的成功秘诀！

我们诚挚地欢迎各界朋友来我公司考察指导，进行技术合作与交流，希望通过交流，我们将成为您最终的选择！

Quality is the survival Service is the way of development

质量是生存之本，服务是发展之道

"质量是生存之本，服务是发展之道"，只有不断地满足客户的需求，才能树立企业良好的形象，才能赢得市场。为实现"满意在科信特"的服务宗旨，公司将制定以下两大服务：

Quality is the survival of the service is the development of the road, only to continue to meet customer needs, in order to establish a good image of the enterprise, in order to win the market. In order to realize the "satisfaction in ration" service tenet, the company formulated the following two service:

售后服务维修：


后期服务：公司设立专职技师，分赴全国各地，定期对客户进行访问，并设有技术服务专线电话，及时向客户探讨解决使用中出现的多种疑难问题，协同客户制定销售方案。客户买得放心，用得舒心是我们孜孜以求的经营宗旨。

生产技术培训：

公司为了对客户负责，在每一台设备出厂后，本公司派专业技术人员上门安装，调试至正常生产让客户满意的产品，免费保修一年并提供终身技术支持。

After sales service: Post service, the company set up a full-time technician, traveled around the country, visit customers on a regular basis, and a technical service hotline, in a timely manner with customers to solve various problems appearing in use, collaborative customer sales plan. Customers to buy the rest assured that with the comfort we diligently strive after business purpose.

Production technology training: In order to be responsible for the customer, after each equipment factory, the company sent professional and technical personnel to install, debug to the normal production of customer satisfaction products, free warranty for one year and provide technical support for life.



我们一直追求高品质
不断提高技术创新
迎接世界发展的挑战

*Quality is our culture
Making effort in improving techniques innovation
To meet the challenge of the world*

KXT-TM420W 杯盖成型机

Cup Cover Forming Machine

KXT-TM420W杯盖成型机是我司科研人员根据市场需求以及以往生产技术，首家创新研发的新型产品。该机是一种多工位的自动机械，具有同步完成成型，冲孔，冲裁；解决了食品包装的卫生标准，不仅有效地解决了PS/PET/PVC等塑料制品生产中的生产资金投入大，劳动力投入大，生产工序复杂，产品卫生安全低等诸多问题，而且用途广泛，可应用于五金、食品、药品等PS/PET/PVC塑料制品的生产，整机外观精美，价格实惠，深受国内外用户的欢迎！

KXT-TM420W automatic thermoforming machine, as the first domestic new-type machine, is researched and developed by our scientific researcher according to the market demands and our past production technology. This machine is a multi station automatic machine, which solve the problems of food packaging hygienic standards. It not only solves a lot of problems effectively in the production of PS, PET, PVC plastic products, such as large capital investment, large labor input, complicated production process, lower hygienic security, etc, but also has extensive usage. It can be used in the production of PS, PET, PVC plastic products using in metals, food, pharmaceutical, etc. The machine enjoys beautiful appearance and good price. It is popular with the customers at home and abroad!



主要参数 / The main parameters

裁切率	Cutting Frequency	15-45times/min
电源	Power	380V / 220V / 50Hz
行程可调范围	Stroke Adjustable Range	180mm
最大成型深度	Max. Forming Depth	45mm
最大成型面积	Max. Forming Area	400 × 160mm
电机功率	Motor Power	1.5kw
耗气量	Consumption	>0.2m³/min
气压	Pressure	0.4-0.7mpa
外形尺寸	Overall Dimensions	2500 × 1000 × 1600mm
重量	Weight	1350kg



主要特点 / Main Features

- ◇ 结构紧凑，运行平稳，操作简单，维护方便。
- ◇ 无级变频调速，PC电路控制面板。
- ◇ 行程任意可调，模具更换简便。
- ◇ 采用伺服送料，同步准确可靠。
- ◇ 可根据用户要求设计模具。
- ◇ Compact structure, smooth operation, simple operation, easy maintenance.
- ◇ Stepless frequency control, PC circuit control panel.
- ◇ The stroke is adjustable, easy to replace the mold.
- ◇ Feeding with servo motor for running smoothly and synchronously.
- ◇ According to user requirements and design mold.

KXT-TM420H 杯盖成型机

Plastic Lid Forming Machine

KXT-TM420H 杯盖成型机是我司科研人员根据市场需求以及以往生产技术，首家创新研发的新型产品。该机是一种多工位的自动机械，具有同步完成成型，冲孔，冲裁；解决了食品包装的卫生标准，不仅有效地解决了PS/PET/PVC等塑料制品生产中的生产资金投入大，劳动力投入大，生产工序复杂，产品卫生安全低等诸多问题，而且用途广泛。可应用于五金、食品、药品等PS/PET/PVC塑料制品的生产，整机外观精美，价格实惠，深受国内外用户的欢迎！

KXT-TM420H automatic thermoforming machine, as the first domestic new-type machine, is researched and developed by our scientific researcher according to the market demands and our past production technology. This machine is a multi station automatic machine, which solve the problems of food packaging hygienic standards. It not only solves a lot of problems effectively in the production of PS, PET, PVC plastic products, such as large capital investment, large labor input, complicated production process, lower hygienic security, etc, but also has extensive usage. It can be used in the production of PS, PET, PVC plastic products using in metals, food, pharmaceutical, etc. The machine enjoys beautiful appearance and good price. It is popular with the customers at home and abroad!

主要特点 / Main Features

- ◇ 结构紧凑，运行平稳，操作简单，维护方便。
- ◇ 无极变频调速，PC电路控制面板。
- ◇ 行程任意可调，模具更换简便。
- ◇ 采用伺服送料，同步准确可靠。
- ◇ 可根据用户要求设计模具。
- ◇ Compact structure, smooth operation, simple operation, easy maintenance.
- ◇ Stepless frequency control, PC circuit control panel.
- ◇ The stroke is adjustable, easy to replace the mold.
- ◇ Feeding with servo motor for running smoothly and synchronously.
- ◇ According to user requirements and design mold.



主要参数 / The main parameters

裁频率	Cutting Frequency	15-45times/min
电源	Power	380V / 220V / 50Hz
行程可调范围	Stroke Adjustable Range	180mm
最大成型深度	Max. Forming Depth	45mm
最大成型面积	Max. Forming Area	400 × 160mm
电机功率	Motor Power	1.5kw
耗气量	Consumption	>0.3m³/min
气压	Pressure	0.4-0.7mpa
外形尺寸	Overall Dimensions	3500 × 1000 × 1600mm
重量	Weight	1500kg

KXT-TM420L 杯盖成型机

Cup Cover Forming Machine

KXT-TM420L杯盖成型机是我司科研人员根据市场需求以及以往生产技术，首家创新研发的新型产品。该机是一种多工位的自动机械，具有同步完成成型、冲孔、冲裁；解决了食品包装的卫生标准，不仅有效地解决了PS/PET/PVC等塑料制品生中的生产资金投入大，劳动力投入大，生产工序复杂，产品卫生安全低等诸多问题，而且用途广泛，可应用于五金、食品、药品等PS/PET/PVC塑料制品的生产，整机外观精美，价格实惠，深受国内外用户的欢迎！

KXT-TM420L automatic thermoforming machine, as the first domestic new-type machine, is researched and developed by our scientific researcher according to the market demands and our past production technology. This machine is a multi station automatic machine, which solve the problems of food packaging hygienic standards. It not only solves a lot of problems effectively in the production of PS, PET, PVC plastic products, such as large capital investment, large labor input, complicated production process, lower hygienic security, etc, but also has extensive usage. It can be used in the production of PS, PET, PVC plastic products using in metals, food, pharmaceutical, etc. The machine enjoys beautiful appearance and good price. It is popular with the customers at home and abroad!

主要参数 / The main parameters

裁切率	Cutting Frequency	15-45times/min
电源	Power	380V / 220V / 50Hz
行程可调范围	Stroke Adjustable Range	180mm
最大成型深度	Max. Forming Depth	45mm
最大成型面积	Max. Forming Area	420 × 160mm
电机功率	Motor Power	1.5kw
耗气量	Consumption	>0.2m ³ /min
气压	Pressure	0.4-0.7mpa
外形尺寸	Overall Dimensions	2500 × 1000 × 1600mm
重量	Weight	1350kg



主要特点 / Main Features

- ◇ 结构紧凑，运行平稳，操作简单，维护方便。
- ◇ 无极变频调速，PC电路控制面板。
- ◇ 行程任意可调，模具更换简便。
- ◇ 采用伺服送片，同步准确可靠。
- ◇ 可根据用户要求设计模具。
- ◇ Compact structure, smooth operation, simple operation, easy maintenance.
- ◇ Stepless frequency control, PC circuit control panel.
- ◇ The stroke is adjustable, easy to replace the mold.
- ◇ Feeding with servo motor for running smoothly and synchronously.
- ◇ According to user requirements and design mold.

杯盖成型机

KXITE MACHINERY

采用优质PP、PET、PVC、PS等材料生产可降解，耐高温无味无毒
High quality PP, PET, PVC, PS and other materials, Production of
biodegradable, non-toxic and tasteless high temperature



双工位独立放卷架，配有起吊功能，提高生产速度。
Dual stand independent unwinding frame, with lifting function,
improve production speed.



电炉分预热和加热两段，成型加热板自动闭合、开启。由于采用贴体加热，
降低了加热功率及温度，节约能源并增强了塑片的稳定性。
Preheat and heating two points, forming hot plate automatically closed, open.
As a result of body-fitted heating, Reduce the heating power and temperature,
save energy and enhance the stability of the plastic film.



模具采用压板装夹，方便调整和安装。采用伺服电机送料，运行平稳、同步
准确。
Mold clamping plate for easy adjustment and installation. Feeding with servo motor
for running smoothly and synchronously



所有与塑片接触的零件均采用不锈钢或无毒材料制造，符合“GMP”要求。
All parts in contact with the plastic are made of stainless steel or non-toxic materials,
in line with "GMP" requirements.



所有气动、电器元件均采用中高档配套，主要元件采用进口。
All pneumatic and electrical components are used in high-grade matching,
the main components imported.

Services Highlights Value, Credibility Creates Glories

服务彰显价值，诚信铸就辉煌

ENTERPRISE HONOR



KXT-TM450L 杯盖成型机

Plastic Lid Forming Machine

KXT-TM450L 杯盖成型机是我司科研人员根据市场需求以及以往生产技术，首家创新研发的新型产品。该机是一种多工位的自动机械，具有同步完成成型，冲孔，冲裁；解决了食品包装的卫生标准，不仅有效地解决了PS/PET/PVC等塑料制品生产中的生产资金投入大，劳动力投入大，生产工序复杂，产品卫生安全低等诸多问题，而且用途广泛，可应用于五金、食品、药品等PS/PET/PVC塑料制品的生产，整机外观精美，价格实惠，深受国内外用户的欢迎！

KXT-TM450L automatic thermoforming machine, as the first domestic new-type machine, is researched and developed by our scientific researcher according to the market demands and our past production technology. This machine is a multi station automatic machine, which solve the problems of food packaging hygienic standards. It not only solves a lot of problems effectively in the production of PS, PET, PVC plastic products, such as large capital investment, large labor input, complicated production process, lower hygienic security, etc, but also has extensive usage. It can be used in the production of PS, PET, PVC plastic products using in metals, food, pharmaceutical, etc. The machine enjoys beautiful appearance and good price. It is popular with the customers at home and abroad!

主要参数 / The main parameters

裁频率	Cutting Frequency	15-45times/min
电源	Power	380V / 220V / 50Hz
行程可调范围	Stroke Adjustable Range	300mm
最大成型深度	Max. Forming Depth	45mm
最大成型面积	Max. Forming Area	430 × 300mm
电机功率	Motor Power	3.7kw
耗气量	Consumption	>0.3m ³ /min
气压	Pressure	0.4-0.7mpa
外形尺寸	Overall Dimensions	3500 × 1000 × 1600mm
重量	Weight	1800kg



主要特点 / Main Features

- ◇ 结构紧凑，运行平稳，操作简单，维护方便。
- ◇ 无极变频调速，PC电路控制面板。
- ◇ 行程任意可调，模具更换简便。
- ◇ 采用伺服送片，同步准确可靠。
- ◇ 可根据用户要求设计模具。
- ◇ Compact structure, smooth operation, simple operation, easy maintenance.
- ◇ Stepless frequency control, PC circuit control panel.
- ◇ The stroke is adjustable, easy to replace the mold.
- ◇ Feeding with servo motor for running smoothly and synchronously.
- ◇ According to user requirements and design mold.



KXT-TM450 杯盖成型机

Cup Lid Forming Machine

KXT-TM450杯盖成型机是我司科研人员根据市场需求以及以往生产技术，首家创新研发的新型产品。该机是一种多工位的自动机械，具有同步完成成型、冲孔、冲裁；解决了食品包装的卫生标准，不仅有效地解决了PS/PET/PVC等塑料制品生中的生产资金投入大，劳动力投入大，生产工序复杂，产品卫生安全低等诸多问题，而且用途广泛，可应用于五金、食品、药品等PS/PET/PVC塑料制品的生产，整机外观精美，价格实惠，深受国内外用户的欢迎！

KXT-TM450 automatic thermoforming machine, as the first domestic new-type machine, is researched and developed by our scientific researcher according to the market demands and our past production technology. This machine is a multi station automatic machine, which solve the problems of food packaging hygienic standards. It not only solves a lot of problems effectively in the production of PS, PET, PVC plastic products, such as large capital investment, large labor input, complicated production process, lower hygienic security, etc, but also has extensive usage. It can be used in the production of PS, PET, PVC plastic products using in metals, food, pharmaceutical, etc. The machine enjoys beautiful appearance and good price. It is popular with the customers at home and abroad!

主要参数 / The main parameters

裁频率	Cutting Frequency	15-45times/min
电源	Power	380V / 220V / 50Hz
行程可调范围	Stroke Adjustable Range	300mm
最大成型深度	Max. Forming Depth	45mm
最大成型面积	Max. Forming Area	450 × 300mm
电机功率	Motor Power	3.7kw
耗气量	Consumption	>0.3m ³ /min
气压	Pressure	0.4-0.7mpa
外形尺寸	Overall Dimensions	3500 × 1000 × 1600mm
重量	Weight	1750kg



主要特点 / Main Features

- ◇ 结构紧凑，运行平稳，操作简单，维护方便。
- ◇ 无极变频调速，PC电路控制面板。
- ◇ 行程任意可调，模具更换简便。
- ◇ 采用伺服送料，同步准确可靠。
- ◇ 可根据用户要求设计模具。
- ◇ Compact structure, smooth operation, simple operation, easy maintenance.
- ◇ Stepless frequency control, PC circuit control panel.
- ◇ The stroke is adjustable, easy to replace the mold.
- ◇ Feeding with servo motor for running smoothly and synchronously.
- ◇ According to user requirements and design mold.

KXT-TM470PP 塑料成型机

PP Lid Forming Machine

KXT-TM470PP系列全自动热成型机是我司科研人员根据市场需求以及以往生产技术，首家创新研发的新型产品。该机是一种多工位的自动机械，解决了食品包装卫生标准的问题。不仅解决了PP、PS、PET、PVC、PLA塑料制品生产中的大量问题，如资金投入大，劳动力投入大，生产工序复杂，卫生安全等问题，而且用途广泛，可应用于五金、食品、药品等PS/PET/PVC塑料制品的生产，整机外观精美，价格实惠，深受国内外用户的欢迎！

KXT-TM470PP automatic thermoforming machine, as the first domestic new-type machine, is researched and developed by our scientific researcher according to the market demands and our past production technology. This machine is a multi station automatic machine, which solve the problems of food packaging hygienic standards. It not only solves a lot of problems effectively in the production of PP, PS, PET, PVC and PLA plastic products, such as large capital investment, large labor input, complicated production process, lower hygienic security, etc, but also has extensive usage. It can be used in the production of PP, PS, PET, PVC, PLA plastic products using in metals, food, pharmaceutical, etc. The machine enjoys beautiful appearance and good price. It is popular with the customers at home and abroad!



主要特点 / Main Features

- ◇ 结构紧凑，运行平稳，操作简单，维护方便。
- ◇ 无极变频调速，PC电路控制面板。
- ◇ 行程任意可调，模具更换简便。
- ◇ 采用伺服送料，同步准确可靠。
- ◇ 可根据用户要求设计模具。
- ◇ Compact structure, smooth operation, simple operation, easy maintenance.
- ◇ Stepless frequency control, PC circuit control panel.
- ◇ The stroke is adjustable, easy to replace the mold.
- ◇ Feeding with servo motor for running smoothly and synchronously.
- ◇ According to user requirements and design mold.

主要参数 / The main parameters

名称	Name	HLD-470A	HLD-470B
最大切割速度	Max. Cutting Speed	10-35 times/min	10-35 times/min
最大成型长度	Max. Forming Length	260mm	260mm
最大成型宽度	Max. Forming Width	470mm	470mm
最大形成深度	Max. Forming Depth	50mm	70mm
可用材料	Available Material	PP/PS/PET/PVC/PLA	PP/PS/PET/PVC/PLA
材料厚度	Material Thickness	0.1mm-1.5mm	0.1mm-1.5mm
加热功率	Heating Power	16KW	16KW
电机功率	Motor Power	6KW	6KW
电力	Power	380V / 50HZ (220V / 60HZ)	380V / 50HZ(220V / 60HZ)
总功率	Total Power	22KW	22KW
供水压力	Pressure of Water Supply	0.2MPa	0.2MPa
耗水量	Water Consumption	0.3m³/h	0.3m³/h
排气量	Exhaust Volume	≥0.6m³/min	≥0.6m³/min
气压	Air Pressure	0.6-0.8MPa	0.6-0.8MPa
机器安装尺寸	Machine Install Size	5000 × 1600 × 2000mm	5000 × 1600 × 2100mm
包装尺寸	Packing Size	5200 × 1800 × 2200mm	5200 × 1800 × 2300mm
最大材料宽度	Max. Width of Material	510mm	510mm
重量	Weight	3500KG	4000KG



KXT-ACL 风冷式冷水机 Air Cooled Chiller



KXT-05ACL



KXT-03ACL




KXT-10ACL



KXT-20ACL

工作原理 / Working principle diagram



对应名称 / Corresponding name

① 压缩机	Compressor	⑭ 温度感应器	Temperature Sensor
② 冷凝器	Condenser	⑮ 水箱	Water Tank
③ 储液器	Accumulator	⑯ 泵浦压力表	Pump Pressure Gauge
④ 干燥过滤器	Dry Filter	⑰ 泵浦	Pump
⑤ 膨胀阀	Expansion Valve	⑱ 旁通阀	Bypass Valve
⑥ 蒸发器	Evaporator	⑳ 低压控制器	Low Pressure Controller
⑦ 球心阀	Globe Valves	㉑ 高压控制器	High Pressure Controller
⑧ 防冻开关	Antifreeze Switch	㉒ 风扇	Fan
⑨ 浮球开关	Float Switch		

螺杆式空压机

Technical Parameters

XZH系列技术参数



型号 Model	驱动方式 Drive Type	轴功率(kW) Motor Power	排气量/压力 m³/min @ 0.8MPa F.A.D.	排气管径 Connection	外形尺寸 Dimensions	净重(kg) Weight
XZH11	Bellet Driven	11	1.85 @ 0.7/1.7 @ 0.8 1.5 @ 1.0/1.3 @ 1.25	G1"	815*720*850	270
XZH15		15	2.5 @ 0.7/2.4 @ 0.8 2.2 @ 1.0/1.7 @ 1.25	G1"	880*770*950	290
XZH18.5		18.5	3.2 @ 0.7/3.0 @ 0.8 2.7 @ 1.0/2.3 @ 1.25	G1"	1090*880*1235	500
XZH22		22	3.8 @ 0.7/3.7 @ 0.8 3.2 @ 1.0/2.7 @ 1.25	G1"	1080*880*1235	540
XZH30		30	5.2 @ 0.7/5.0 @ 0.8 4.5 @ 1.0/3.6 @ 1.25	G1"	1120*930*1290	650
XZH37		37	6.5 @ 0.7/6.2 @ 0.8 5.6 @ 1.0/4.6 @ 1.25	G1-1/2"	1240*1030*1435	730
XZH45		45	7.5 @ 0.7/7.2 @ 0.8 6.5 @ 1.0/5.6 @ 1.25	G1-1/2"	1240*1030*1595	820
XZH55		55	9.6 @ 0.7/9.5 @ 0.8 8.5 @ 1.0/7.5 @ 1.25	G1-1/2"	1540*1200*1470	1200
XZH7.5A/B-8	一轴式	7.5	1.2 @ 0.8	G3/4"	800*620*800	200
XZH22D-8	Direct	22	3.6 @ 0.8	G1"	1410*850*1120	560
XZH37D-8		37	6.2 @ 0.8	G1-1/2"	1530*900*1230	740
XZH45D-8		45	7.1 @ 0.8	G1-1/2"	1700*1050*1255	970
XZH55D-8		55	10.0 @ 0.8	G1-1/2"	1790*1150*1360	1180
XZH75D-8		75	13.0 @ 0.8	G2"	2000*1200*1500	1470
XZH90D-8		90	16.0 @ 0.8	G2"	2000*1200*1500	1520
XZH110D-8		110	20.0 @ 0.8	DN65	2410*1300*1670	2210
XZH132D-8		132	24.0 @ 0.8	DN65	2410*1300*1670	2370



科信特与您携手共进，迎接新挑战。

点滴细节，成就高端品质

BIT BY BIT DETAILS, THE ACHIEVEMENT OF HIGH-END QUALITY

目前，市场上塑料包装在包装产业总产值中的比例已超过30%，成为包装产业中的生力军。在食品、饮料、日用品及工农业生产各个领域发挥着不可替代的作用。塑料包装行业未来主要呈现三大发展趋势：塑料包装将走向绿色化，塑料包装废弃物引起了社会的广泛关注，加强塑料包装的科学管理和利用，最大限度地对废弃塑料进行回收利用，并逐步开发、利用可降解塑料，在国内，可降解塑料得到较大发展，大力开发、推广使用可降解塑料乃是当务之急。塑料包装将走向轻量化，减轻包装重量，轻量化是指用更少的包装材料，包装材料生产包装，对包装进行减重，对环境和企业而言，都有利可图，通常而言，塑料瓶、塑料罐、塑料软管、奶茶杯面机以及塑料盖等类型容器更容易实现减重的目标。

面对新世纪的信息产业革命，“华力达”始终坚持“质量与我同在，顾客在我心中”的质量方针，确立决策、长远规划、健全经营机制，完善全方位营销网络，把高品质的产品和卓有成效的服务奉献给社会，抓住机遇，迎接新时期经济形式快速发展的挑战。

我们诚挚地欢迎各界朋友来我公司考察指导，进行技术合作与交流。希望通过交流，我们将成为您最终的选择！能与您合作是我们的荣幸！

At present, the market proportion in the total output value of packaging plastic packaging industry has more than 30%, becoming a new force in the packaging industry, plays an irreplaceable role in food, beverages, daily necessities and production of industry and agriculture in various fields. Plastic packaging industry in the future mainly presents the goal of the three major development trends.

We sincerely welcome friends from all walks of life to visit our company guidance, technical cooperation and exchanges. Hope that through the exchange, we will be your final choice! It is our pleasure to cooperate with you!

